



Because privacy matters!™

ISO 9001:2015 CERTIFIED COMPANY ISO 14001:2015 CERTIFIED COMPANY



# Kubebooth Technical Data Sheet Kme Plus Floorless

Note: This is only a sample Size. Various Sizes exists to fit your needs

## Easy to Install

**Size** Overall - W: 88" - D: 48" - H: 88"  
Inside - W: 80" - D: 47" - H: 84"

**Weight**  
1150 lbs/527 kg

**Glass**  
10mm clear tempered  
Door - H: 88" x W: 36"  
Rear Panel - H: 88" x W: 44"  
Front Side Panels - H: 88" x W: 26"

## Plug & Play

**Acoustics**  
Class A noise reduction


**Air Exchange**  
100 complete air changes per hour

**Data Center**  
1 USB A port, 1 USB C port  
2 Simplex outlets  
Motion detector  
(controls light & fan)

**Light**  
12V LED light bar with magnet  
570mm/pcs super light bar, 3500K,  
12VDC

**Sprinkler**  
Pre-engineered knockout hole for 3rd  
party sprinkler installation

**Power Cord**  
10ft cord 120V/15Amp



**Wall Construction**  
Galvanized steel frames  
Sound insulation in all cavities

**Door Lock**  
Patch fit low noise- silent latch


**Finishes**  
TFL surface  
CARB certified  
(zero/low formaldehyde emissions)  
Aluminum hardware painted

**IMPORTANT BUILDING / SPRINKLER NOTE**  
All units include a sprinkler "knockout" provision.  
Final requirements vary by jurisdiction and  
building conditions, customers must confirm  
the required approach with their building  
inspector / AHJ (Authority Having Jurisdiction)  
before installation.

**Reversible Door**  
Fully interchangeable left or right opening

**Felt** Interior sound absorption  
panels 60% recyclable  
**Options**  
Seismic bracing  
One touch LCD control panel  
LCD TV mount bracing  
White glass board - W: 34" x L: 30"  
Personalized company branding  
Ethernet ports  
Bluetooth speaker  
Frosted film glass  
External fire extinguisher unit  
Occupancy lights

Height Adjustable Table



\*Air Flow Diagram

**Note: This privacy pod requires drilling to the floor as part of standard installation to ensure structural stability and user safety.**

