






ISO 14001:2015 CERTIFIED COMPANY





Kubebooth Technical Data Sheet - Kme Floorless





Easy to Install

Overall - W: 88" - D: 37" - H: 88" Inside - W: 80" - D: 36" - H: 84"

Weight

1100 lbs/500 kg

Glass

10mm clear tempered Door - H: 88" x W: 36" Rear Panel - H: 88" x W: 44" Front Side Panels - H: 88" x W: 26"

Plug & Play

Acoustics

Class A noise reduction

Air Exchange

100 complete air changes per hour

Data Center

UL approved 1 USB A port, 1 USB C port 2 Simplex outlets Motion detector (controls light & fan)

12V LED light bar with magnet 570mm/pcs super light bar, 3500K, 12VDC

Sprinkler

Pre-engineered knockout hole for 3rd party sprinkler installation

Power Cord

10ft cord 120V/15Amp

Wall Construction

Galvanized steel frames Sound insulation in all cavities

Door Lock

Patch fit low noise-silent latch **Finishes**

TFL surface

CARB certified (zero/low formaldehyde emissions) Aluminum hardware painted

Reversible Door


Fully interchangeable left or right opening

Felt Interior sound absorption panels 60% recyclable

Options

Seismic bracing One touch LCD control panel LCD TV mount bracing White glass board - W: 34" x L: 30" Personalized company branding Ethernet ports Bluetooth speaker Frosted film glass External fire extinguisher unit Occupancy lights

Height Adjustable Table



*Air Flow Diagram

Note: This privacy pod requires drilling to the floor as part of standard installation to ensure structural stability and user safety.







